

SSL DEVELOPMENT OFFICE REMODEL

220 MORRIS AVE
SOUTH SALT LAKE CITY UT 84115

OWNER

CITY OF SOUTH SALT LAKE
220 MORRIS AVE
SOUTH SALT LAKE CITY UTAH 84115



USER

SOUTH SALT LAKE DEVELOPMENT OFFICE
220 MORRIS AVE
SOUTH SALT LAKE CITY UTAH 84115

2032 Lincoln Avenue
Suite 102
Ogden, UT
84401

T: (385) 244-1140
carbonarchitects.us

CIVIL

PROJECT:

**SSL
DEVELOPMENT
OFFICE REMODEL**

LANDSCAPE

220 MORRIS AVE
SOUTH SALT LAKE CITY UT 84115

DATE: 10/16/23
PROJECT NO: 22-4516

REVISION DATE

REVISION	DATE

ARCHITECT

CARBON ARCHITECTS
2444 WASHINGTON BLVD STE 203
OGDEN, UT 84401
385.244.1140
CARBONARCHITECTS.US

ISSUED

NO.	DATE	DESCRIPTION
1	05/27/21	EXISTING
2	12/15/22	CD SET

STRUCTURAL



**COVER
SHEET**


SCALE:

G000


DRAWN BY: Author

(E) OR EXIST.	EXISTING	N.J.C.	NOT IN CONTRACT	T.O.C.	TOP OF CURB
A.F.F.	ABOVE FINISHED FLOOR	N.T.S.	NOT TO SCALE	T.O.F.	TOP OF FOOTING
B.O.	BOTTOM OF	NO.	NUMBER	T.O.S.	TOP OF SLAB OR SIDEWALK
B.D.G.	BUILDING	O.C.	ON CENTER	T.O.W	TOP OF WALL
CL.G.	CEILING	O.D.	OUTSIDE DIAMETER	THRU.	THROUGH
CMU.	CONCRETE MASONRY UNIT	O.F.	OUTSIDE FACE	TYP.	TYPICAL
CONC.	CONCRETE	O.H.	OVERHEAD	U.N.O.	UNLESS NOTED OTHERWISE
EA.	EACH	O.W.S.J.	OPEN WEB STEEL JOIST	VCT	VINYL COMPOSITION TILE
EQ.	EQUAL	OPP.	OPPOSITE	VERT.	VERTICAL
F.E.	FIRE EXTINGUISHER	P.C.F.	POUNDS PER CUBIC FOOT	VEST.	VESTIBULE
F.E.C.	FIRE EXTINGUISHER CABINET	P.L.F.	POUNDS PER LINEAR FOOT	VNR.	VENEER
FT.	FEET	P.S.F.	POUNDS PER SQUARE FOOT	W.W.F.	WELDED WIRE FABRIC
GA.	GAGE/ GAUGE	P.S.I.	POUNDS PER SQUARE INCH	W/	WITH
GOVT.	GOVERNMENT	P.S.I.	POUNDS PER SQUARE INCH	W/O	WITHOUT
GPM	GALLONS PER MINUTE	PART.	PARTITION	WD.	WOOD
GWB.	GYPSUM WALL BOARD	PERP.	PERPENDICULAR		
H.M.	HOLLOW METAL	PL.	PLATE		
H.S.A.	HEADED STUD ANCHOR	PL.	PLATE		
HC.	HANDICAPPED	PRD.	PROTECTION		
HDW.	HARDWARE	QTY	QUANTITY		
HORIZ.	HORIZONTAL	R.D.	ROOF DRAIN		
HR.	HOUR	R.O.	ROUGH OPENING		
HT.	HEIGHT	RAD	RADIUS		
HVAC	HEATING/VENTILATION/IR CONDITIONING	REIN.	REINFORCED		
HYD	HYDRANT	REQ.	REQUIRED		
I.D.	INSIDE DIAMETER	R.M.	ROOM		
I.F.	INSIDE FACE	S.D.I.	STEEL DECK INSTITUTE		
IN.	INCHES	S.J.I.	STEEL JOIST INSTITUTE		
INFO.	INFORMATION	S.O.D.	SLAB ON DECK		
INSUL.	INSULATION	S.O.G.	SLAB ON GRADE		
L	ANGLE	SCHED.	SCHEDULE		
LAV.	LAVATORY	SHR.	SHOWER		
LT.	LIGHT	SHT.	SHEET		
LT. WT.	LIGHT WEIGHT	SIM.	SIMILAR		
M.C.J.	MASONRY CONTROL JOINT	SPEC	SPECIFICATION		
M.O.	MASONRY OPENING	ST.	STONE		
MAINT.	MAINTAINANCE	STC.	SOUND TRANSMISSION COEFFICIENT		
MANUF.	MANUFACTURE	STD.	STANDARD		
MAT.	MATERIAL	STIFF.	STIFFENER		
MAX.	MAXIMUM	STL.	STEEL		
MECH.	MECHANICAL	STR.	STRUCTURAL		
MFR.	MANUFACTURE	SUPER.	SUPERVISION		
MIN.	MINIMUM	SUSP.	SUSPENDED		
MISC.	MISCELLANEOUS	T.O.	TOP OF		
MTL.	METAL	T.O.A.	TOP OF ASPHALT		


GENERAL MARKERS



LINE MARKERS



TAGGING MARKERS



SSL CITY HALL CODE ANALYSIS 2018 INTERNATIONAL BUILDING CODE

DEFERRED SUBMITTALS:
1. FIRE PROTECTION DESIGN
2. FIRE ALARM DESIGN

APPLICABLE CODES:
2018 INTERNATIONAL BUILDING CODE
2018 INTERNATIONAL FIRE CODE
2018 INTERNATIONAL MECHANICAL CODE
2018 INTERNATIONAL PLUMBING CODE
2020 NATIONAL ELECTRICAL CODE

GENERAL NOTES

NEW WORK

- ALL DIMENSIONS ARE TO GRID, CENTERLINE, FACE OF FOUNDATION WALL (UNLESS NOTED OTHERWISE), FACE OF STUD FRAMING (UNLESS NOTED OTHERWISE).
- ALL GYP. BOARD WALLS AND CEILING ARE TO BE PAINTED UNLESS NOTED OTHERWISE. - SEE FINISH SCHEDULE.
- ALL INTERIOR HOLLOW METAL DOOR AND WINDOW FRAMES SHALL BE PAINTED.
- ALL DOOR OPENINGS ARE LOCATED WITH THE HINGE SIDE 4" OFF THE CORNER UNLESS NOTED OTHERWISE.
- VERIFY ON-SITE HANDRAILS AND INSTALL AT APPROPRIATE LOCATIONS.
- PROVIDE CONTROL JOINTS IN GYPSUM BOARD AT ALL RUNS OVER 30'-0".
- FIRE STOPPING MATERIALS FOR NON-FERROUS PIPE, CONDUIT AND OTHER SYNTHETIC MATERIALS SHALL BE COMPATIBLE WITH EACH OTHER.
- CABINET WIDTH DIMENSIONS ARE FOR BID PURPOSES ONLY AND MUST BE FIELD VERIFIED. ALL COUNTERTOP HEIGHTS ARE TO BE 34" AFF. UNLESS NOTED OTHERWISE.
- MAXIMUM HEIGHT OF OUTLETS ON COUNTERTOPS TO BE 48". OTHER OUTLETS MUST BE A MINIMUM OF 15" OFF FLOOR TO A MAXIMUM OF 48".
- PROVIDE GRAB BAR BLOCKING AT ALL GRAB BAR LOCATIONS.
- PROTECT ALL (E) TO REMAIN FLOORING AND WALLS THROUGHOUT CONSTRUCTION.
- OWNER WILL OCCUPY THE SPACE DURING CONSTRUCTION. COORDINATE SHUTDOWN, NOISE, ETC. WITH OWNER.
- FIRE SPRINKLER LOCATIONS ARE NOT INDICATED.
- CEILING PLAN DIMENSIONS ARE TO FACE OF GYPSUM WALL BOARD, TYPICAL.
- CEILING HEIGHTS ARE MEASURED FROM TOP OF PLYWOOD OR SLAB.
- LAY IN ACOUSTIC TILE CEILING SYSTEM SEISMIC BRACING REQUIREMENTS PER 2021 IBC.
- ALL CEILINGS SHALL COMPLY WITH IBC REQUIREMENTS FOR LAY IN CEILINGS IN SEISMIC CATEGORY B.
- ALL GYPSUM BOARD CEILINGS SHALL BE PAINTED - SEE FINISH SCHEDULE.

FIRE PROTECTION

FIRE PROTECTION AND FIRE ALARM CHANGES TO BE DONE AS A DESIGN BUILD.

SHEET NUMBER

GENERAL	G000
	G001
	G002
ARCHITECTURAL	D101
	D102
	D103
	D104
	D105
	D106
	D107

SHEET NAME

COVER SHEET
GENERAL INFORMATION
ADA REQUIREMENTS

SSL DEVELOPMENT OFFICE FLOOR PLAN
BREAKROOM PLANS
CONFERENCE ROOM PLANS
INTERIOR ELEVATIONS CONFERENCE ROOM

INTERIOR ELEVATIONS BREAKROOM
INTERIOR ELEVATIONS ENTRY
DETAILS



2032 Lincoln Avenue
Suite 102
Ogden, UT
84401

T: (385) 244-1140
carbonarchitects.us

PROJECT:

SSL DEVELOPMENT OFFICE REMODEL


220 MORRIS AVE
SOUTH SALT LAKE CITY UT 84115

PROJECT NO. 22-4516

REVISION	DATE

ISSUED

NO.	DATE	DESCRIPTION
1.	05/27/21	EXISTING
2.	12/15/22	CD SET
3.		
4.		
5.		
6.		



WALLS TO TERMINATE AT UNDERSIDE OF EXISTING CEILING GRID. PROVIDE BRACING TO STRUCTURE ABOVE EVERY 4'-0" ALTERNATING EACH SIDE OF WALL EVERY 4'-0"

FINISHES


BREAKROOM LVT TILE 9" x 36" (PATTERN TBD)




BREAKROOM BACKSPASH TILE 3" x 12"



BREAKROOM COUNTER TOP




INDIRECT LIGHTS FOR ALL NEW AREAS





CONFERENCE ROOM CARPET TILE 18" x 36"




CONFERENCE ROOM COUNTER TOP



ACOUSTICAL CEILING TILE FOR ALL NEW AREAS



CONFERENCE ROOM SOUTH GLASS WALL SYSTEM (EXAMPLE)



CONFERENCE ROOM SOUTH GLASS WALL SYSTEM (ELEVATION)

MANUFACTURER - DOORS 22
COORDINATE PURCHASE AND INSTALL WITH OWNER.



GENERAL INFORMATION

SCALE: As Indicated


G001

DRAWN BY: Author




NO.	DATE	DESCRIPTION
1.	05/27/21	EXISTING
2.	12/15/22	CD SET
3.		
4.		
5.		
6.		


NO.	DATE	DESCRIPTION




304. WHEELCHAIR TURNING SPACE




308. REACH RANGES




404. DOORS AND DOORWAYS



602. DRINKING FOUNTAINS



604.7 ACCESSORIES AND EQUIPMENT




703. SIGNS - TACTILE AND VISUAL

REVISION	DATE






ISSUED

NO.	DATE	DESCRIPTION
1.	05/27/21	EXISTING
2.	12/15/22	CD SET



1 DEVELOPMENT OFFICE OVERALL PLAN
1/4" = 1'-0"

LEGEND

- DEMOLITION**
-  EXISTING WALLS TO REMAIN
 -  DEMOLISHED WALLS/FIXTURES
 -  AREA OF DEMOLITION
 -  REMOVE CARPET/VCT & BASE
 -  REMOVE CEILING TILES, LIGHTS, AND DIFFUSERS - LEAVE GRID



**SSL
DEVELOPMENT
OFFICE FLOOR
PLAN**

SCALE: As Indicated

D101

DRAWN BY: Author


ISSUED		
NO.	DATE	DESCRIPTION
1.	05/27/21	EXISTING
2.	12/15/22	CD SET

KEYNOTES


NEW WORK

NOTE: NOT ALL KEYNOTES WILL BE USED


- 1 8'-0" ALEO TYPE LP8-LPA-8-UX-100-8-CCT FIELD ADJUST-WH (2) LPA-ACCSY-PK (1) LPA-LNK-BRK
- 2 EXIT SIGN - RELZTE-1-R-C-A-EM - RED - CLEAR SINGLE FACE - ALUMINUM TRIM
- 3 PROVIDE BLOCKING FOR WALL MOUNTED TV. REFER TO INTERIOR ELEVATIONS.
- 4 EXISTING CEILING TILE, LIGHTS, AND CEILING ACCESSORIES TO REMAIN
- 5 KANOPI OPTIMA PLANT BASED 2X2 ACT - WHITE - INSTALL IN EXISTING GRID.
- 6 2X2 SUPPLY GRILLE - PRICE SPD-GR000038 - A-WHA ARMSTRONG WHITELUME - 15/16" REGULAR TILE - 8" CONNECTION
- 7 2X2 RETURN GRILLE - PRICE SPD-GR000038 - A-WHA ARMSTRONG WHITELUME - 15/16" REGULAR TILE
- 8 REMOVE EXISTING CEILING TILE AND CWB CEILING IN THIS AREA. COORDINATE NEW EAST WALL FOR BREAK LINE OF WHERE EXISTING CEILING IS TO REMAIN
- 9 CARPET TILE - SHAW CONTRACT - CHROMATONE TILE 18" x 36" SCARLET CHARCOAL - 07854 WITH ROPPE 4" COVED RUBBER BASE 148 STEEL GREY
- 11 REMOVE AND SALVAGE EXISTING DOOR AND FRAME. COORDINATE STORAGE WITH OWNER.
- 12 REUSE EXISTING DOOR, FRAME, AND HARDWARE FOR NEW OPENING 25
- 13 REPAIR DRYWALL AT NEW WALL LOCATION. PAINT TO MATCH EXISTING. NEW RUBBER BASE ON THIS SIDE OF WALL TO MATCH EXISTING.
- 15 LVT - SHAW CONTRACT - RETHINK. 9" x 36" COLOR(S) SMART(33856) & METAL(33330) WITH ROPPE 4" COVED RUBBER BASE - 148 STEEL GRAY
- 16 16 - CUT EXISTING SLAB AND PATCH BACK FOR NEW FLOOR POWER AND DATA OUTLET.
- 17 17- QUARTZ COUNTERTOP - SEE SHEET D105 FOR SPECS
- 18 REUSE EXISTING DOOR, FRAME, AND HARDWARE FOR NEW OPENING 28
- 19 MODIFY EXISTING CEILING TILE TO ACCOMMODATE NEW WALL
- 20 QUARTZ COUNTERTOP - CAESARSTONE FROSTY CARRINA - 5141
- 21 NEW SWINGING DOOR. SEE 3/D107
- 22 22 - EXISTING WORK STATIONS TO REMAIN
- 23 23 - SEE SHEET G001 FOR PRODUCT INFORMATION. CONTACT DOORS 22 FOR GLASS WALL BRACING REQUIREMENTS.
- 24 CEILING EXHAUST FAN. VERIFY CONNECTION TO EXISTING EXHAUST DUCT PRIOR TO ORDER.
- 25 REMOVE EXISTING DOOR AND FRAME. COORDINATE WITH OWNER FOR DISPOSAL
- 26 CUT WALL OPENING FOR NEW DOOR. REFRAME AS NEEDED




3 | BREAK ROOM REFLECTED CEILING PLAN
1/4" = 1'-0"




1 | BREAK ROOM PLAN
1/4" = 1'-0"



2 | BREAK ROOM DEMOLITION REFLECTED CEILING PLAN
1/8" = 1'-0"



4 | BREAK ROOM DEMOLITION PLAN
1/8" = 1'-0"



- GROUP B (PASSAGE LOCKSET)
1.5 BUTTS
1.0 PASSAGE LEVER
1.0 WALL DOORSTOP
- TRUDDOOR
SCHLAGE
ASSA ABLOY
- BB-NRP
ALX10 LAT
ROCKWOOD 409

LEGEND

- DEMOLITION**
- EXISTING WALLS TO REMAIN
 - DEMOLISHED WALLS/FIXTURES
 - AREA OF DEMOLITION
 - REMOVE CARPET/VCT & BASE
 - REMOVE CEILING TILES, LIGHTS, AND DIFFUSERS - LEAVE GRID


SCALE: As Indicated

D102


DRAWN BY: Author




BREAKROOM PLANS




1 CONFERENCE ROOM REFLECTED CEILING PLAN
3/8" = 1'-0"



2 CONFERENCE ROOM
3/8" = 1'-0"



3 CONFERENCE ROOM DEMOLITION PLAN
3/16" = 1'-0"



4 CONFERENCE ROOM DEMOLITION REFLECTED CEILING PLAN
3/16" = 1'-0"

KEYNOTES

NEW WORK

NOTE: NOT ALL KEYNOTES WILL BE USED

- 1 8'-0" ALEO TYPE
LP8-LPA-8-UX-100-8-CCT FIELD
ADJUST-WH (2) LPA-ACCSY-PK (1)
LPA-LNK-BRK
- 2 EXIT SIGN - RELZTE-1-R-C-A-EM - RED -
CLEAR SINGLE FACE - ALUMINUM
TRIM
- 3 PROVIDE BLOCKING FOR WALL
MOUNTED TV. REFER TO INTERIOR
ELEVATIONS.
- 4 EXISTING CEILING TILE, LIGHTS, AND
CEILING ACCESSORIES TO REMAIN
- 5 KANOPI OPTIMA PLANT BASED 2X2
ACT- WHITE - INSTALL IN EXISTING
GRID.
- 6 2X2 SUPPLY GRILLE - PRICE
SPD-GR000038 - A-WHA ARMSTRONG
WHITELUME - 15/16" TEGULAR TILE - 8"
CONNECTION
- 7 2X2 RETURN GRILLE - PRICE
SPD-GR000038 - A-WHA ARMSTRONG
WHITELUME - 15/16" TEGULAR TILE
- 8 REMOVE EXISTING CEILING TILE AND
CWB CEILING IN THIS AREA.
COORDINATE NEW EAST WALL FOR
BREAK LINE OF WHERE EXISTING
CEILING IS TO REMAIN
- 9 CARPET TILE - SHAW CONTRACT -
CHROMATONE TILE 18" x 36" SCARLET
CHARCOAL - 07854 WITH ROPPE 4"
COVERED RUBBER BASE 148 STEEL GREY
- 11 REMOVE AND SALVAGE EXISTING
DOOR AND FRAME. COORDINATE
STORAGE WITH OWNER.
- 12 REUSE EXISTING DOOR, FRAME, AND
HARDWARE FOR NEW OPENING 25
- 13 REPAIR DRYWALL AT NEW WALL
LOCATION. PAINT TO MATCH
EXISTING. NEW RUBBER BASE ON THIS
SIDE OF WALL TO MATCH EXISTING.
- 15 LVT - SHAW CONTRACT - RETHINK, 9" X
36" COLOR(S) SMART(33856) &
METAL(33330) WITH ROPPE 4" COVERED
RUBBER BASE - 148 STEEL GRAY
- 16 16 - CUT EXISTING SLAB AND PATCH
BACK FOR NEW FLOOR POWER AND
DATA OUTLET.
- 17 17 - QUARTZ COUNTERTOP - SEE SHEET
D105 FOR SPECS
- 18 REUSE EXISTING DOOR, FRAME, AND
HARDWARE FOR NEW OPENING 28
- 19 MODIFY EXISTING CEILING TILE TO
ACCOMMODATE NEW WALL
- 20 QUARTZ COUNTERTOP -
CAESARSTONE FROSTY CARRINA -
5141
- 21 NEW SWINGING DOOR. SEE 3/D107
- 22 22 - EXISTING WORK STATIONS TO
REMAIN
- 23 23 - SEE SHEET G001 FOR PRODUCT
INFORMATION. CONTACT DOORS 22
FOR GLASS WALL BRACING
REQUIREMENTS.
- 24 CEILING EXHAUST FAN. VERIFY
CONNECTION TO EXISTING EXHAUST
DUCT PRIOR TO ORDER.
- 25 REMOVE EXISTING DOOR AND FRAME.
COORDINATE WITH OWNER FOR
DISPOSAL
- 26 CUT WALL OPENING FOR NEW DOOR.
REFRAME AS NEEDED

LEGEND

DEMOLITION

- EXISTING WALLS TO REMAIN
- DEMOLISHED WALLS/FIXTURES
- AREA OF DEMOLITION
- REMOVE CARPET/VCT & BASE
- REMOVE CEILING TILES, LIGHTS, AND DIFFUSERS - LEAVE GRID



2032 Lincoln Avenue
Suite 102
Ogden, UT
84401

T: (385) 244-1140
carbonarchitects.us

PROJECT:
**SSL
DEVELOPMENT
OFFICE
REMODEL**

220 MORRIS AVE
SOUTH SALT LAKE CITY UT 84115

DATE: 10/16/23

PROJECT NO: 22-4516

REVISION DATE

REVISION DATE

REVISION DATE

REVISION DATE

REVISION DATE

REVISION DATE

ISSUED

NO.	DATE	DESCRIPTION
1.	05/27/21	EXISTING
2.	12/15/22	CD SET




CONFERENCE ROOM PLANS


SCALE: As indicated

D103


DRAWN BY: Author




3 NORTH - CONFERENCE ROOM
1/2" = 1'-0"



2 SOUTH - CONFERENCE ROOM
1/2" = 1'-0"



1 WEST - CONFERENCE ROOM
1/2" = 1'-0"



4 EAST - CONFERENCE ROOM
1/2" = 1'-0"

KEYNOTES

INTERIOR ELEVATIONS

NOTE: NOT ALL KEYNOTES MAY BE USED

1	TV BY OTHERS (N.I.C.)
2	FLOATING SHELVES - SEE 2/D107.
3	UNDERCOUNTER REFRIDGERATOR - BY OWNER N.I.C.
4	QUARTZ COUNTERTOP - CAESARSTONE 1001 RIVERLET MINERAL
5	PNT1 - SW 7008 ALABASTER
6	DISH WASHER (N.I.C.)
8	4" BACKSPLASH - MATCH COUNTER
10	TILE - 3 x 12 PAPREKA III POLISHED CERAMIC WALL TILE W/ MAPEI 5220 EGG WHITE ULTRACOLOR PLUS FA GROUT
11	REFRIDGERATOR (N.I.C.)
12	8'-0" ALEO TYPE LP8-LPA-8-UX-100-8-CCT FIELD ADJUST-WH (2) LPA-ACCSY-PK (1) LPA-LNK-BRK
13	4" COVED RUBBER BASE TO MATCH EXISTING COLOR
16	QUARTZ COUNTERTOP - CAESARSTONE FROSTY CARRINA - 5141



2032 Lincoln Avenue
Suite 102
Ogden, UT
84401

T: (385) 244-1140
carbonarchitects.us

PROJECT:
**SSL
DEVELOPMENT
OFFICE
REMODEL**

220 MORRIS AVE
SOUTH SALT LAKE CITY UT 84115

DATE: 10/16/23

PROJECT NO: 22-4516

REVISION DATE

REVISION DATE

REVISION DATE

REVISION DATE

REVISION DATE

REVISION DATE

ISSUED

NO.	DATE	DESCRIPTION
1.	05/27/21	EXISTING
2.	12/15/22	CD SET

NO.	DATE	DESCRIPTION
1.	05/27/21	EXISTING
2.	12/15/22	CD SET

NO.	DATE	DESCRIPTION
1.	05/27/21	EXISTING
2.	12/15/22	CD SET

NO.	DATE	DESCRIPTION
1.	05/27/21	EXISTING
2.	12/15/22	CD SET

NO.	DATE	DESCRIPTION
1.	05/27/21	EXISTING
2.	12/15/22	CD SET

NO.	DATE	DESCRIPTION
1.	05/27/21	EXISTING
2.	12/15/22	CD SET

NO.	DATE	DESCRIPTION
1.	05/27/21	EXISTING
2.	12/15/22	CD SET

NO.	DATE	DESCRIPTION
1.	05/27/21	EXISTING
2.	12/15/22	CD SET

NO.	DATE	DESCRIPTION
1.	05/27/21	EXISTING
2.	12/15/22	CD SET

NO.	DATE	DESCRIPTION
1.	05/27/21	EXISTING
2.	12/15/22	CD SET

NO.	DATE	DESCRIPTION
1.	05/27/21	EXISTING
2.	12/15/22	CD SET

NO.	DATE	DESCRIPTION
1.	05/27/21	EXISTING
2.	12/15/22	CD SET

NO.	DATE	DESCRIPTION
1.	05/27/21	EXISTING
2.	12/15/22	CD SET

NO.	DATE	DESCRIPTION
1.	05/27/21	EXISTING
2.	12/15/22	CD SET

NO.	DATE	DESCRIPTION
1.	05/27/21	EXISTING
2.	12/15/22	CD SET

NO.	DATE	DESCRIPTION
1.	05/27/21	EXISTING
2.	12/15/22	CD SET

NO.	DATE	DESCRIPTION
1.	05/27/21	EXISTING
2.	12/15/22	CD SET

NO.	DATE	DESCRIPTION
1.	05/27/21	EXISTING
2.	12/15/22	CD SET

NO.	DATE	DESCRIPTION
1.	05/27/21	EXISTING
2.	12/15/22	CD SET

NO.	DATE	DESCRIPTION
1.	05/27/21	EXISTING
2.	12/15/22	CD SET

NO.	DATE	DESCRIPTION
1.	05/27/21	EXISTING
2.	12/15/22	CD SET

NO.	DATE	DESCRIPTION
1.	05/27/21	EXISTING
2.	12/15/22	CD SET

NO.	DATE	DESCRIPTION
1.	05/27/21	EXISTING
2.	12/15/22	CD SET

NO.	DATE	DESCRIPTION
1.	05/27/21	EXISTING
2.	12/15/22	CD SET

NO.	DATE	DESCRIPTION
1.	05/27/21	EXISTING
2.	12/15/22	CD SET

NO.	DATE	DESCRIPTION
1.	05/27/21	EXISTING
2.	12/15/22	CD SET

NO.	DATE	DESCRIPTION
1.	05/27/21	EXISTING
2.	12/15/22	CD SET

NO.	DATE	DESCRIPTION
1.	05/27/21	EXISTING
2.	12/15/22	CD SET

NO.	DATE	DESCRIPTION
1.	05/27/21	EXISTING
2.	12/15/22	CD SET

NO.	DATE	DESCRIPTION
1.	05/27/21	EXISTING
2.	12/15/22	CD SET

NO.	DATE	DESCRIPTION
1.	05/27/21	EXISTING
2.	12/15/22	CD SET

NO.	DATE	DESCRIPTION
1.	05/27/21	EXISTING
2.	12/15/22	CD SET

NO.	DATE	DESCRIPTION
1.	05/27/21	EXISTING
2.	12/15/22	CD SET

NO.	DATE	DESCRIPTION
1.	05/27/21	EXISTING
2.	12/15/22	CD SET

NO.	DATE	DESCRIPTION
1.	05/27/21	EXISTING
2.	12/15/22	CD SET

NO.	DATE	DESCRIPTION
1.	05/27/21	EXISTING
2.	12/15/22	CD SET

NO.	DATE	DESCRIPTION
1.	05/27/21	EXISTING
2.	12/15/22	CD SET

NO.	DATE	DESCRIPTION
1.	05/27/21	EXISTING
2.	12/15/22	CD SET


NO.	DATE	DESCRIPTION
1.	05/27/21	EXISTING
2.	12/15/22	CD SET

NO.	DATE	DESCRIPTION
1.	05/27/21	EXISTING
2.	12/15/22	CD SET


NO.	DATE	DESCRIPTION
1.	05/27/21	EXISTING
2.	12/15/22	CD SET

NO.	DATE	DESCRIPTION
1.	05/27/21	EXISTING
2.	12/15/22	CD SET


NO.	DATE	DESCRIPTION
1.	05/27/21	EXISTING
2.	12/15/22	CD SET




3 | NORTH - BREAKROOM ELEVATION
1/2" = 1'-0"



2 | SOUTH - BREAKROOM ELEVATION
1/2" = 1'-0"



5 | EAST - BREAKROOM ELEVATION
1/2" = 1'-0"



1 | WEST - BREAKROOM ELEVATION
1/2" = 1'-0"

KEYNOTES

INTERIOR ELEVATIONS
NOTE: NOT ALL KEYNOTES MAY BE USED

1	TV BY OTHERS (N.I.C)
2	FLOATING SHELVES - SEE 2/D107.
3	UNDERCOUNTER REFRIDGERATOR - BY OWNER N.I.C.
4	QUARTZ COUNTERTOP - CAESARSTONE 1001 RIVERLET MINERAL
5	PNT1 - SW 7008 ALABASTER
6	DISH WASHER (N.I.C)
8	4" BACKSPLASH - MATCH COUNTER
10	TILE - 3 x 12 PAPREKA III POLISHED CERAMIC WALL TILE W/ MAPEI 5220 EGG WHITE ULTRACOLOR PLUS FA GROUT
11	REFRIDGERATOR (N.I.C.)
12	8'-0" ALEO TYPE LP8-LPA-8-LUX-100-8-CCT FIELD ADJUST-WH (2) LPA-ACCSY-PK (1) LPA-LNK-BRK
13	4" COVED RUBBER BASE TO MATCH EXISTING COLOR
16	QUARTZ COUNTERTOP - CAESARSTONE FROSTY CARRINA - 5141



2032 Lincoln Avenue
Suite 102
Ogden, UT
84401

T: (385) 244-1140
carbonarchitects.us

PROJECT:
**SSL
DEVELOPMENT
OFFICE
REMODEL**

220 MORRIS AVE
SOUTH SALT LAKE CITY UT 84115

DATE: 10/16/23
PROJECT NO: 22-4516

REVISION	DATE

ISSUED

NO.	DATE	DESCRIPTION
1.	05/27/21	EXISTING
2.	12/15/22	CD SET



**INTERIOR
ELEVATIONS
BREAKROOM**


SCALE: 1/2" = 1'-0"

D105


DRAWN BY: Author

LEGEND


- DEMOLITION
- EXISTING WALLS TO REMAIN
 - DEMOLISHED WALLS/FIXTURES
 - AREA OF DEMOLITION
 - REMOVE CARPET/VCT & BASE
 - REMOVE CEILING TILES, LIGHTS, AND DIFFUSERS - LEAVE GRID




7 DEVELOPMENT LOBBY PLAN Copy 1
1/4" = 1'-0"



8 DEVELOPMENT LOBBY DEMOLITION PLAN Copy 1
1/4" = 1'-0"



4 ADA COUNTER - EMPLOYEE SIDE Copy 1
1/2" = 1'-0"



6 ADA COUNTER - CUSTOMER SIDE Copy 1
1/2" = 1'-0"

KEYNOTES	
NEW WORK	
NOTE: NOT ALL KEYNOTES WILL BE USED	
1	8'-0" ALEO TYPE LP8-LPA-8-UX-100-8-CCT FIELD ADJUST-WH (2) LPA-ACCSY-PK (1) LPA-LNK-BRK
2	EXIT SIGN - RELZTE-1-R-C-A-EM - RED - CLEAR SINGLE FACE - ALUMINUM TRIM
3	PROVIDE BLOCKING FOR WALL MOUNTED TV. REFER TO INTERIOR ELEVATIONS.
4	EXISTING CEILING TILE, LIGHTS, AND CEILING ACCESSORIES TO REMAIN
5	KANOPI OPTIMA PLANT BASED 2X2 ACT - WHITE - INSTALL IN EXISTING GRID.
6	2X2 SUPPLY GRILLE - PRICE SPD-GR000038 - A-WHA ARMSTRONG WHITELUME - 15/16" REGULAR TILE - 8" CONNECTION
7	2X2 RETURN GRILLE - PRICE SPD-GR000038 - A-WHA ARMSTRONG WHITELUME - 15/16" REGULAR TILE
8	REMOVE EXISTING CEILING TILE AND CWB CEILING IN THIS AREA. COORDINATE NEW EAST WALL FOR BREAK LINE OF WHERE EXISTING CEILING IS TO REMAIN
9	CARPET TILE - SHAW CONTRACT - CHROMATONE TILE 18" x 36" SCARLET CHARCOAL - 07854 WITH ROPPE 4" COVED RUBBER BASE 148 STEEL GREY
11	REMOVE AND SALVAGE EXISTING DOOR AND FRAME. COORDINATE STORAGE WITH OWNER.
12	REUSE EXISTING DOOR, FRAME, AND HARDWARE FOR NEW OPENING 25
13	REPAIR DRYWALL AT NEW WALL LOCATION. PAINT TO MATCH EXISTING. NEW RUBBER BASE ON THIS SIDE OF WALL TO MATCH EXISTING.
15	LVT - SHAW CONTRACT - RETHINK, 9" X 36" COLOR(S) SMART(33856) & METAL(33350) WITH ROPPE 4" COVED RUBBER BASE - 148 STEEL GRAY
16	16 - CUT EXISTING SLAB AND PATCH BACK FOR NEW FLOOR POWER AND DATA OUTLET.
17	17 - QUARTZ COUNTERTOP - SEE SHEET D105 FOR SPECS
18	REUSE EXISTING DOOR, FRAME, AND HARDWARE FOR NEW OPENING 28
19	MODIFY EXISTING CEILING TILE TO ACCOMMODATE NEW WALL
20	QUARTZ COUNTERTOP - CAESARSTONE FROSTY CARRINA - 5141
21	NEW SWINGING DOOR. SEE 3/D107
22	EXISTING WORK STATIONS TO REMAIN
23	SEE SHEET G001 FOR PRODUCT INFORMATION. CONTACT DOORS 22 FOR GLASS WALL BRACING REQUIREMENTS.
24	TV MOUNTING BRACKET - VERIFY CONNECTION TO EXISTING EXHAUST FLOOR BRACES (SEE 3/D107).
25	REMOVE EXISTING DOOR AND FRAME. COORDINATE WITH OWNER FOR DISPOSAL
26	100% DRYWALL OPENING FOR NEW DOOR. REMOVE ALL BRACKETS
5	REFRIGERATOR [N.I.C.]
6	DISH WASHER [N.I.C.]
8	4" BACKSPLASH - MATCH COUNTER
10	TILE - 3 x 12 PAPREKA III POLISHED CERAMIC WALL TILE W/ MAPEI S220 EGG WHITE ULTRACOLOR PLUS FA GROUT
11	REFRIGERATOR [N.I.C.]
12	8'-0" ALEO TYPE LP8-LPA-8-UX-100-8-CCT FIELD ADJUST-WH (2) LPA-ACCSY-PK (1) LPA-LNK-BRK
13	4" COVED RUBBER BASE TO MATCH EXISTING COLOR
16	QUARTZ COUNTERTOP - CAESARSTONE FROSTY CARRINA - 5141



2032 Lincoln Avenue
Suite 102
Ogden, UT
84401

T: (385) 244-1140
carbonarchitects.us

PROJECT:
SSL DEVELOPMENT OFFICE REMODEL

220 MORRIS AVE
SOUTH SALT LAKE CITY UT 84115

DATE: 10/16/23
PROJECT NO: 22-4516

REVISION	DATE

ISSUED		
NO.	DATE	DESCRIPTION
1.	05/27/21	EXISTING
2.	12/15/22	CD SET



INTERIOR ELEVATIONS ENTRY


SCALE: As Indicated

D106


DRAWN BY: Author

DATE:	10/16/23
PROJECT NO:	22-4516
REVISION	DATE


ISSUED		
NO.	DATE	DESCRIPTION
1.	05/27/21	EXISTING
2.	12/15/22	CD SET




2 | FLOATING SHELVES
3/8" = 1'-0"




3 | SWINGING DOOR
1" = 1'-0"



BASE CABINETS



BASE & UPPER CABINETS



SINK BASE & UPPER CABINETS

1 | CASEWORK- DETAILS
1" = 1'-0"

DETAILS

SCALE: As Indicated

D107

DRAWN BY: Author